BOSS® marine

MARINE AUDIO PRODUCTS

CON**TENTS**

*W*hether hitting the waves or tied up dockside, the marine enthusiast expects to be the "Captain" of his own entertainment and pump up the tunes.

BOSS Marine lets you enjoy the same quality of sound on your vessel as you do in your home or vehicle. Built for UV, saltwater, and resistant to corrosion, BOSS Marine has a variety of systems perfect for your on-deck entertainment.

Marine Receivers •

Marine Amplifiers •

Marine Loudspeakers •

· Boss marine head units have coated circuit boards to seal out moisture.

· State-of-the-art waterproofing and special UV-protection coatings of plastic surfaces provide resistance to corrosion from both salt water and chlorine.

· CD compartments and Switches are sealed to keep water out.

· BOSS Marine offers complete system "combo kits".

FULLY MARINIZED

MR2080W
MARINE MP3/CD RECEIVER WITH WIRED REMOTE CONTROL

1-1/2-DIN mounting	Intro scan	Loudness
Illuminated control buttons	1 Bit D/A converter / 8X oversAmpling	Stereo mono & local/distance switches
PLL synthesized tuner	ESP (anti-skip mechanism)	Subwoofer output
Switchable USA/Europe radio frequencies	Front panel auxiliary input	PCB with conformal coating
RDS (Radio Data System)	Compatible with audio output of iPod® and other MP3 players	Front panel UV coating
30 Station presets	Preset EQ response curves	Wired remote control
Quartz digital clock	Separate bass and treble	**Output power: 80W x 4 channels**
MP3/CD-R/CDRW compatible	Balance and fader controls	
ID3-Tag compatible	Dual (front and rear) RCA ouputs	
CD mute function / Track repeat /		

1

BOSS® marine

FULL DETACHABLE SLIDE-DOWN FRONT PANEL

MR1640W
MARINE MP3/CD RECEIVER WITH WEATHER BAND RECEPTION WITH WIRED REMOTE CONTROL

FULLY MARINIZED

FULL DETACHABLE SLIDE-DOWN FRONT PANEL

MR1640W, MR1620W, MR1620S, MR1600W AND MR1600S FEATURES:

- ISO-DIN mounting
- Full detachable front panel
- Illuminated control buttons
- PLL synthesized tuner
- Switchable USA/Europe radio frequencies
- RDS (Radio Data System)
- 30 Station presets
- Quartz digital clock
- MP3/CD-R/CDRW compatible (except MR1600W and MR1600S)
- ID3-Tag compatible (except MR1600W and MR1600S)
- CD mute function / Track repeat / Intro scan
- 1 Bit D/A converter / 8X oversAmpling
- ESP (anti-skip mechanism)
- Front panel auxiliary input
- Compatible with audio output of iPod® and other MP3 players
- Preset EQ response curves
- Separate bass and treble
- Balance and fader controls
- Dual (front and rear) RCA outputs
- Subwoofer output
- Loudness
- Stereo mono & local/distance switches
- PCB with conformal coating
- Front panel UV coating
- Wired remote control
- **Output power: 60W x 4 channels**

iPod is a registered trademark of Apple, Inc., in the U.S. and other countries.

WHITE

FULLY MARINIZED

MR1620W
MARINE MP3/CD RECEIVER WITH WIRED REMOTE CONTROL. WHITE COLOR

MR1620S
MARINE MP3/CD RECEIVER WITH WIRED REMOTE CONTROL. SILVER COLOR

SILVER

FULL DETACHABLE SLIDE-DOWN FRONT PANEL

WHITE

RDS RADIO DATA SYSTEM

FULLY MARINIZED

MR1600W
MARINE CD RECEIVER WITH WIRED REMOTE CONTROL. WHITE COLOR

MR1600S
MARINE CD RECEIVER WITH WIRED REMOTE CONTROL. SILVER COLOR

SILVER

2

# MARINE **DVD/CD RECEIVERS**

DROP-DOWN FULL DETACHABLE FRONT PANEL

MR3.6V
MARINE IN-DASH DVD/MP3/CD AM/FM RECEIVER
WITH 3.6" WIDESCREEN TFT MONITOR WITH USB AND SD
MEMORY CARD PORTS AND FRONT PANEL AUX INPUT

Single-DIN mounting

WMA/MP4/MP3/DVD/SVCD/VCD/CDR/CDRW
  & SDVD compatible

USB and SD Memory Card ports

Resolution: 480 x 234 pixels

Brightness: 600 NITS

On-screen display

NTSC/PAL compatible monitor

PLL synthesized AM/FM tuner

24 station presets

RDS (Radio Data System)

Switchable USA/Europe radio
  frequencies

Separate bass and treble

Balance and fader controls

Compatible with audio output of iPod®
  and other MP3 players

Mute function

Intro scan

Last position memory

1-Bit D/A converter

8X oversAmpling

ESP (anti-skip mechanism)

Subwoofer output (BassMax)

Dual (front and rear) RCA outputs

PCB with conformal coating

Front panel UV coating

Wireless remote control

Output power: 80w x 4 channels

MREX25
25 FT. EXTENSION CABLE
SOLD SEPARATELY
FOR MR2080/MR1640/MR1620/MR1600 REMOTE
CONTROL. (REMOTE CONTROL SOLD SEPARATELY)

MARINE CD **RECEIVERS** WITH **iPod**®

*T*he iPod® has revolutionized the way we listen to music on dry land. Now together with BOSS Marine, the iPod® has conquered the high seas. Boss Audio introduces our amazing iPod® Docking System to the Marine division. You plug your iPod® into the MR1560DI, replace the weatherized face plate, and access your music via your head unit. Your iPod® remains safely protected from the marine environment and protected from theft or being misplaced. Top that off with touch button interface and you will be the envy of the harbor.

FULL DETACHABLE FRONT PANEL

Insert iPod® into head unit and replace head plate. This provides FULL iPod® CONTROL from front panel.

MR1560DI
MARINE MP3-COMPATIBLE DIGITAL MEDIA RECEIVER WITH BUILT-IN iPod® DOCKING STATION WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT

MR1560DI FEATURES:

Built-in iPod Docking Station with iPod® connector (compatible with various iPod® models)

USB and SD Memory Card ports

FULL DETACHABLE FRONT PANEL

FULL DETACHABLE FRONT PANEL

MR1520UA
MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT

MR1525UI
MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH FULL iPod® CONTROL WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT

IPC40
CABLE FOR iPod® INTEGRATION FOR MR1525UI

MR1560DI, MR1525UI AND MR1520UA FEATURES:

- Single-DIN mounting
- Full iPod® control: View playlist, artist, album, song search on the display (MR1560DI and MR1525UI only) [Note: MR1525UI requires IPC40 Integration Cable, sold separately]
- 5 Volt preAmp output
- Oversized, active black mask display

- Illuminated control buttons
- PLL synthesized tuner with 30 station presets
- Switchable USA/Europe/Asia radio frequencies
- Front panel auxiliary input
- Compatible with audio output of iPod® and other MP3 players

- Quartz digital clock • ID3-tag display
- Preset EQ response curves / Loudness / Separate bass and treble
- Loudness/Balance and fader controls
- Dual (front and rear) RCA outputs
- RDS (Radio Data System) [MR1560DI and MR1525UI only]

- Stereo/mono & local/distance switches
- PC board with conformal coating
- Front panel UV coating
- Wireless remote control
- **Output power: 80W x 4 channels**

iPod is a registered trademark of Apple, Inc., in the U.S. and other countries.

4

MR1470UW

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT. WHITE COLOR

WHITE

MR1470US

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH USB AND SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT. SILVER COLOR

SILVER

USB AND FRONT AUX INPUT WITH RUBBER COVER

MR1470UW, MR1470US, MR1465W AND MR1465S FEATURES:

Single-DIN mounting • Full detachable front panel

5 volt preamp output • Active black mask display

PLL synthesized tuner with 24 station presets

Switchable USA/Europe radio frequencies

Front panel auxiliary input

Compatible with audio output of iPod® and other MP3 players

Quartz digital clock

CD mute function • Track repeat • Intro scan

1 Bit d/A converter • 8X oversampling

ESP (anti-skip mechanism)

MP3/CD-R/CD-RW compatible

ID3-Tag display

Preset EQ response curves • Seperate bass and treble

Loudness • Balance and fader controls

Local/distance switches

PC board with conformal coating

Front panel UV coating

Wireless remote control

**Output power: 60W x 4 channels**

WHITE

SILVER

MR1465W

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH FRONT PANEL AUX INPUT. WHITE COLOR

MR1465S

MARINE MP3-COMPATIBLE IN-DASH CD RECEIVER WITH FRONT PANEL AUX INPUT. SILVER COLOR

RECOMMENDED ACCESSORIES MRC5, MRH7. SEE PAGE 16

BOSS® marine

MARINE RECEIVERS

MR1420W, MR1420S, MR1400W AND MR1400S FEATURE:

Single-DIN mounting

Full detachable front panel

5 Volt preAmp output

Active black mask display

PLL synthesized tuner with 24 station presets

Switchable USA/Europe radio frequencies

Front panel auxiliary input

Compatible with audio output of iPod® and
  other MP3 players

Quartz digital clock

CD mute function / Track repeat / Intro scan

1 Bit D/A converter / 8X oversAmpling

ESP (anti-skip mechanism)

MP3/CD-R/CD-RW compatible

(MR1400W and MR1400S not MP3-compatible)

ID3-Tag display (except MR1400W and MR1400S)

Preset EQ response curves / Separate bass and treble

Loudness / Balance and fader controls

Dual (front and rear) RCA outputs

Local/distance switches

PC board with conformal coating

Front panel UV coating

Output power: 60W x 4 channels

FULL DETACHABLE FRONT PANEL

WHITE

SILVER

MR1420W
MARINE MP3/CD RECEIVER
WITH FRONT PANEL AUX INPUT
WHITE COLOR

MR1420S
MARINE MP3/CD RECEIVER
WITH FRONT PANEL AUX INPUT
SILVER COLOR

RECOMMENDED ACCESSORIES
MRC5, MRH7. SEE PAGE 16

MR1400W
MARINE CD RECEIVER WITH
FRONT PANEL AUX INPUT
WHITE COLOR

MR1400S
MARINE CD RECEIVER WITH
FRONT PANEL AUX INPUT
SILVER COLOR

FULL DETACHABLE FRONT PANEL

WHITE

SILVER

WHITE

BLACK

MR1315WUA
FULL iPod® CONTROL
MP3-COMPATIBLE DIGITAL MEDIA RECEIVER WITH USB AND
SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT

MR1315BUA
FULL iPod® CONTROL
MP3-COMPATIBLE DIGITAL MEDIA RECEIVER WITH USB AND
SD MEMORY CARD PORTS AND FRONT PANEL AUX INPUT

MR1315WUA AND MR1315BUA FEATURE:

Single-DIN mounting

No mechanism

Active black mask display

Illuminated control buttons

PLL synthesized tuner with 30 station presets

USB port • SD memory card port

Front panel AUX input

Compatible with audio output of iPod® and
  other MP3 players

ID3-Tag display

Quartz digital clock • Separate bass and treble

Balance and fader controls

RCA outputs • Loudness

Stereo/mono & local/distance switches

Wireless remote control

Output power: 60W x 4 channels

MARINE AMPLIFIERS AND
LOUDSPEAKERS

All MR Series Amplifiers feature a unique rubber door which tightly seals all control panel openings when not in use. It also uses in-line weatherproof connectors for all input and output connections, which are run through grommeted openings in end panels.

MR1200PA
4-CHANNEL MOSFET BRIDGEABLE MARINE POWER AMPLIFIER PUBLIC ADDRESS SYSTEM WITH MICROPHONE AND REMOTE SUBWOOFER LEVEL CONTROL

MR800
2-CHANNEL MOSFET BRIDGEABLE MARINE POWER AMPLIFIER WITH REMOTE SUBWOOFER LEVEL CONTROL

MR1000
4-CHANNEL MOSFET BRIDGEABLE MARINE POWER AMPLIFIER WITH REMOTE SUBWOOFER LEVEL CONTROL

SPECIFICATIONS

MARINE AMPS	MR1200PA	MR1000	MR800
MAX POWER, 2 OHM	300W x 4	250W x 4	400W x 2
RMS POWER, 4 OHM	150W x 4	100W x 4	125W x 2
MAX BRIDGED POWER, 4 OHM	600W x 2	500W x 2	800W x 1
SIGNAL-TO-NOISE RATIO	> 102 dB	> 102 dB	> 102 dB
THD	0.01%	0.01%	0.01%
DIMENSIONS:	12-3/4" L	12-3/4" L	8-3/4" L
7-3/8" W x 2-1/4" H x			

MR652C

6.5" 2-WAY MARINE SPEAKER
WITH REMOVABLE TWEETERS AND CROSSOVERS
TO BE USED AS A COMPONENT SET.

MR752C

7.5" 2-WAY MARINE SPEAKER
WITH REMOVABLE TWEETERS AND CROSSOVERS TO
BE USED AS A COMPONENT SET.

MR105

10" MARINE 4 OHM
SUBWOOFER

MR20PA

MARINE PUBLIC ADDRESS SYSTEM CONTROLLER WITH
MICROPHONE AND REMOTE SUBWOOFER LEVEL CONTROL

*THIS UNIVERSAL SYSTEM CAN BE USED AS A FRONT END FOR ANY
MARINE OR CAR AUDIO AMPLIFIER, TURNING IT INTO A FULL-FEATURED
PUBLIC ADDRESS SYSTEM.*

SUBWOOFER	MR105
POWER HANDLING, PEAK	1000W (500W RMS)
IMPEDANCE	4 OHM
FREQUENCY RESPONSE	25HZ–2KHZ
SPL 1 WATT/1 METER	96 DB
CONE MATERIAL	POLYPROPYLENE
VOICE COIL	2.5" KAPTON
GRILLES	PLASTIC
MOUNTING DEPTH	4-1/8"

SPECIFICATIONS

LOUDSPEAKERS	MR752C	MR652C
POWER HANDLING, PEAK	400W	350W
IMPEDANCE	4 OHM	4 OHM
FREQUENCY RESPONSE	40Hz-20Hz	60Hz-20kHz
SPL 1 WATT/1 METER	90 dB	92 dB
CONE MATERIAL	POLY INJECTION	POLY INJECTION
VOICE COIL	1-1/2" ALUMINUM	1-1/2" ALUMINUM
TWEETERS	1" MYLAR DOME	1" MYLAR DOME
GRILLES	PLASTIC	PLASTIC

FULLY MARINIZED

MARINE **LOUDSPEAKERS**

MR650
6.5" 2-WAY MARINE SPEAKER

MR695
6" x 9" 2-WAY MARINE SPEAKER

MR12
2-WAY MARINE BOX SPEAKER
4 OHM OR 8 OHM IMPEDANCE

MR30
2-WAY MARINE BOX SPEAKER
4 OHM OR 8 OHM IMPEDANCE

MR690
6" x 9" 2-WAY MARINE SPEAKER
WHITE COLOR

The MR695 and MR650 feature an outboard crossover which is contoured on its inner surface to mount snugly and securely to the rear housing.

SPECIFICATIONS

LOUDSPEAKERS	MR695	MR650	MR690	MR60W/MR60B	MR50W/MR50B
POWER HANDLING, PEAK	400W	250W	350W	200W	150W
IMPEDANCE	4 OHM	4 OHM	4 OHM	4 OHM	4 OHM
FREQUENCY RESPONSE	40Hz-18kHz	60Hz-18kHz	60Hz-20kHz	80Hz-20kHz	120Hz-18kHz
SPL 1 WATT/1 METER	90 dB	90 dB	92 dB	90 dB	90 dB
CONE MATERIAL	POLY INJECTION	POLY INJECTION	POLY INJECTION	POLY INJECTION	POLY INJECTION
VOICE COIL	1-1/2" ALUMINUM	1" ALUMINUM	1" ALUMINUM	1" ALUMINUM	3/4" ALUMINUM
TWEETERS	1" MYLAR DOME	1" MYLAR DOME	1" MYLAR DOME	1" MYLAR DOME	1" MYLAR DOME
GRILLES	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC

MR60W
6.5" 2-WAY MARINE SPEAKER
WHITE COLOR

MR50W
5.25" 2-WAY MARINE SPEAKER
WHITE COLOR

ALSO AVAILABLE:
MR60B
6.5" 2-WAY MARINE SPEAKER
BLACK COLOR

ALSO AVAILABLE:
MR50B
5.25" 2-WAY MARINE SPEAKER
BLACK COLOR

MR100
10" MARINE 4 OHM SUBWOOFER

ALSO AVAILABLE:
MR120
12" MARINE 4 OHM SUBWOOFER

SPECIFICATIONS

BOX SYSTEMS	MR30	MR12
POWER HANDLING, PEAK	200W	100W
IMPEDANCE	4 or 8 OHM	4 or 8 OHM
FREQUENCY RESPONSE	40Hz-20kHz	100Hz-20kHz
SPL 1 WATT/1 METER	94 dB	91 dB
CONE MATERIAL	POLY	POLY
VOICE COIL	1" ALUMINUM	1" ALUMINUM
TWEETERS	1" MYLAR DOME	1" MYLAR DOME
MIDRANGE	5-1/4" MYLAR	3-1/2" MYLAR
GRILLES	PLASTIC	PLASTIC

SPECIFICATIONS

SUBWOOFER	MR120	MR100
POWER HANDLING, PEAK	800W (400W RMS)	600W (300W RMS)
IMPEDANCE	4 OHM	4 OHM
FREQUENCY RESPONSE	25HZ–2KHZ	30HZ–2.5KHZ
SPL 1 WATT/1 METER	94 DB	94 DB
CONE MATERIAL	POLYPROPYLENE	POLYPROPYLENE
VOICE COIL	2.5" KAPTON	2" KAPTON
GRILLES	PLASTIC	PLASTIC

MARINE **WAKETOWER LOUDSPEAKERS**

MRWT8W
8" 2-WAY WAKETOWER SPEAKER SYSTEM
WHITE COLOR
MARINIZED ENCLOSURE

ALSO AVALIABLE:
MRWT8B
BLACK COLOR

MRWT8C
CHROME COLOR

CHROME

BLACK

WHITE

MRWT6W
6.5" 2-WAY WAKETOWER SPEAKER SYSTEM
WHITE COLOR
MARINIZED ENCLOSURE

ALSO AVALIABLE:
MRWT6B
BLACK COLOR

MRWT6C
CHROME COLOR

WHITE

BLACK

CHROME

SPECIFICATIONS

WAKETOWER SYSTEMS	ROCKER	MRWT8W/B/C	MRWT6W/B/C	MRWT69	MRWT65
POWER HANDLING, PEAK	1000W	700W	500W	550W	350W
IMPEDANCE	4 OHM	4 OHM	4 OHM	4 OHM	4 OHM
FREQUENCY RESPONSE	40Hz-20kHz	40Hz-20kHz	60Hz-20kHz	40Hz-20kHz	80Hz-20kHz
SPL 1 WATT/1 METER	98 dB	96 dB	94 dB	95 dB	92 dB
CONE MATERIAL	POLY INJECTION	POLY INJECTION	POLY INJECTION	POLY INJECTION	POLY INJECTION
VOICE COIL	1-1/2" KIESV	1-1/2" KIESV	1-1/4" KIESV	1-1/2" ALUMINUM	1" ALUMINUM
TWEETERS	1" BULLET	1" BULLET	1" BULLET	(2) 1" MYLAR DOME	1" MYLAR DOME
MIDRANGE	8" + 5-1/4"	8"	6"	6" x 9" + 2-1/2" MYLAR	6-1/2" MYLAR
MOUNTING BRACKET	2"-3" DIAMETER	2"-3" DIAMETER	2"-3" DIAMETER	2"-3" DIAMETER	1.5"-2.5" DIAMETER

ROCKER
3-WAY WAKETOWER SPEAKER SYSTEM
WITH 8" MIDBASS AND 5-1/4" MIDRANGE
SPEAKERS AND 1" BULLET TWEETER
MARINIZED ENCLOSURE

BOSS MARINE waketower speaker systems are built to deliver superior performance in the toughest conditions. Polypropylene cones and rubber surrounds are impervious to moisture. A blast of salt water will not hurt these speakers. A protective coating is applied to block UV rays, maintaining material integrity and keeping the speakers looking new.

**ROCKER IS
SOLD IN PAIRS**

MRWT69W
**6" x 9" 4-WAY WAKETOWER
SPEAKER SYSTEM**
WHITE COLOR
MARINIZED ENCLOSURE

MRWT69
**6" x 9" 4-WAY WAKETOWER
SPEAKER SYSTEM**
BLACK COLOR
MARINIZED ENCLOSURE

MRWT65
**6.5" 2-WAY WAKETOWER
SPEAKER SYSTEM**
MARINIZED ENCLOSURE

PRODUCT DISPLAYS

$\mathcal{W}$e offer an in-store display to show off and demonstrate the unique features of MARINE products. You can order the display system in one of three configurations shown here.

MRFSD
FULL DISPLAY
- Head Units/Speakers Module
- Amplifer Module
- Subwoofer Module
- Waketower Display Bar
- Display side panels
- "Wave" decorative accent panels

Dimensions:
75" (H) x 40" (W) x 27" (D)

MARINE ACCESSORIES

$\mathcal{T}$hese enclosed speaker systems incorporate all the water resistant technology of our other marine speakers: composite polymer frames, polypropylene cones, rubber surrounds, and coated leads. With audio performance you would expect from a high end home speaker you can mount these in any marine location. They are also ideal for any outdoor application such near your spa or other entertainment area in your yard.

MRC5
UNIVERSAL MARINE RADIO COVER

MRH7
UNIVERSAL MARINE RADIO WATERPROOF HOUSING

MRANT10
MARINE RUBBER ANTENNA

MRANT12
MARINE RUBBER ANTENNA

MRTTA
DUAL MODULE COUNTERTOP DISPLAY
- Head Units/Speakers Module
- Amplifier section mounted above Head units/Speakers module

Dimensions:
42" (H) x 40" (W) x 19" (D)

MRTTD
SINGLE MODULE COUNTERTOP DISPLAY
- Head Units/Speakers Module
- "Wave" decorative accent panels

Dimensions:
23" (H) x 40" (W) x 19" (D)

BOSS REBEL®

PUSH IT, TO THE LIMIT!

On, or off road, BOSS REBEL ROCKS! The Rebel's outdoor, weatherproof sound systems are as powerful as they are well-built, and as rugged as the terrain they're built for.

ATV20
OFF ROAD/MARINE SOUND SYSTEM FEATURING 6.5" MARINE SPEAKERS AND 1.5" WATER PROOF TWEETERS

ATV20 FEATURES:

Fully Marinized

450W Max Power

Frequency response: 45-25kHz

Sensitivity: 90dB

Water Proof Poly Injection Cone

Soft Dome Diaphragm high performance Tweeter

3.5mm input jack

Compatible with audio output of iPod® and other MP3 players

Speakers powered by internal Amp

Plug and play for easy installation

Includes (2) heavy duty zip ties and (2) heavy duty straps with Velcro® for any mounting position

Ideal for ATV/UTV, Jet Ski or Snowmobile

MC300
MOTORCYCLE/UTV AMPLIFIED SPEAKER SYSTEM

MC400
MOTORCYCLE/UTV SPEAKER AND AMPLIFIER SYSTEM

MC500
MOTORCYCLE/UTV SPEAKER AND AMPLIFIER SYSTEM WITH USB/SD PORTS AND FM TUNER

MC500 FEATURES:

Weatherproof
Chrome 3" Speakers
USB and SD ports • FM Tuner
3.5mm Audio input
Remote control
600W Max Power

MC400 FEATURES:

Weatherproof
Chrome 3" Speakers
3.5mm Audio input
Handle Bar mount
Rotary volume control
600W Max Power

MC300 FEATURES:

Weatherproof
2.5" Speakers
Built-in Power Amplifier
3.5mm Audio input
Handle Bar mount
 Volume control
 400W Max Power

BOSS® marine

BOSS®
AUDIO SYSTEMS

www.bossaudio.com
800.999.1236

BOSS AUDIO SYSTEMS
3451 LUNAR COURT
OXNARD, CA 93030